



REQUEST FOR QUOTATION
ALTERNATIVE METHOD OF PROCUREMENT

Sir/Madam:

Date: December 26, 2019

Please give your quotation at Government price on the following articles/materials urgently needed to be purchased.

ITEM #	QTY.	UNIT	DESCRIPTION OF ARTICLES	UNIT COST	TOTAL COST	PRICE OFFER
1	2	Unit	Croupette , Height: 74.8", 83" Power: 220 VAC / 60 Hz With Built-in Nebulizer. See attached document for detailed specification.	500,000.00	1,000,000.00	
2	4	Unit	Bassinet , Stainless steel frame. With caster 3" diameter 31" L x 17 1/2" W x 37 3/4" H. With acrylic plastic basket and appropriate mattress. With Drawer and Cabinet. Drawer. Dimensions: (inside) 26 1/4" L x 15 1/4" W x 5 3/4" H. Cabinet. Dimensions: (inside) 27" L x 16" W x 11 1/4" H. See attached document for detailed specification.	5,000.00	20,000.00	
3	4	Unit	Bed side Table , L:14.1~29.5" x W:16~18.1". H:29.5~35.4" inches. High-strength stainless Steel frame. 2-4 drawers with Cabinet. See attached document for detailed specification.	7,000.00	28,000.00	
4	4	Unit	Drop Light , No. of Bulb: 1 pc LED Bulb, 40 watts. Body Material: Metal. Dimension: Ø13~15.7" x H7.8~10" in. Chain/Cord: 1 Meter (Adjustable). Power Source: 220v 60Hz. No. of Bulb: 1 pc LED. Bulb, 40 watts. Body Material: Metal. Dimension: Ø13~15.7" x H7.8~10" in. Chain/Cord: 1 Meter (Adjustable). Power Source: 220v 60Hz. See attached document for detailed specification.	4,000.00	16,000.00	
5	2	Unit	Infrared Ear digital Thermometer , Temperature range: 32 ~ 34°C to 42.2 ~ 43°C. Display: LCD Power source: DC 3V, 1 Lithium Button Battery / (2) AAA Batteries. Estimated at least 500 measurements, with 30 seconds automatic switch off. See attached document for detailed specification.	7,000.00	14,000.00	
6	4	Unit	Neonatal Stethoscopes , Length: 27.1~32 inches Chest piece materials: Stainless steel, alloy, anodised aluminium / Brass / Chrome Plated Zinc. Ear tips Material: silicon or pvc. Warranty 2~5 years. Two sided / Double head. Length: 27.1~32 inches. Chest piece materials: Stainless steel, alloy, anodised aluminium / Brass / Chrome Plated Zinc. See attached document for detailed specification.	7,000.00	28,000.00	
7	2	Unit	Electric Breast Pump Max. Suction Strength: 290~300mmHg. Double Breast kits. Dimensions: 6.5"~7.4" x 5"~7.3" x 4". Power Source: AC powered 220V, 60Hz and/or battery operated. See attached documents for detailed specification	5,000.00	10,000.00	
8	2	Unit	Umbilical Set , 1- Lister Scissors, 5.9", Supercut. 1- Lister Scissors, 7", Supercut. 1- 5.5" Dressing Forceps. 1- 7.8" Dressing Forceps. 1- Operating Scissors, 5.5" straight, s-s. 1- Umbilical Cord Scissors, 5.5". 1- Stitch Scissors, 5.5". See attached documents for detailed specification.	5,000.00	10,000.00	
9	1	Unit	EENT Diagnostic set with Ophthalmoscope and otoscope , Diopter compensation: -20 ~ -25 to +20 ~ +40. Ophthalmoscope - 1. Oscope Carrier - 1 Ear Specula (2 ~ 6 mm Diam) - 4. Dilating Nasal Speculum - 1. Laryngeal Mirror Stem - 1. Laryngeal Mirrors - 2. Tongue Depressor Plastic - 1. Battery Handle - 1. Spare Bulbs 2.5V/C3A -1. See attached documents for detailed specification.	25,000.00	25,000.00	
10	7	Unit	Glucometer , Hand held meter. LCD display. Reading range/linearity from 20 to 600 mg/dl. Reading time of less than 10 seconds, blood sample less than 1.5µl Measuring unit in mg/dl, no routine maintenance required. Minimum memory of 50 tests. See attached documents for detailed specification.	7,000.00	49,000.00	

11	15	Pieces	Pulse Oximeter Portable for Pedia , SpO2 measurement range: 35% - 100% Pulse Rate Measurement Range: 25 - 250 bpm Requires 1 ~ 4 alkaline or Li-ion batteries or/with USB slot for charging With soft pouch and strap Batteries and/or USB Cord included	5,000.00	75,000.00		
12	4	Pieces	Pulse Oximeter Portable for Neonate , SpO2 measurement range: 35% - 100% Pulse Rate Measurement Range: 25 - 250 bpm Requires 1 ~ 4 alkaline or Li-ion batteries or/with USB slot for charging With soft pouch and strap Batteries and/or USB Cord included	5,000.00	20,000.00		
13	32	Pieces	Pulse Oximeter for adult , SpO2 measurement range: 35% - 100% Pulse Rate Measurement Range: 25 - 250 bpm Requires 1 ~ 4 alkaline or Li-ion batteries or/with USB slot for charging With soft pouch and strap Batteries and/or USB Cord included	5,000.00	160,000.00		
14	2	Unit	Digital Weighing Scale for Neonate , Capacity: 20-23 kg Tray Size: 24 1/6 ~ 25" x 13 7/8 ~ 15 5/16" x 2~3 1/2 Display: 7/8 ~ 1" LCD Power Source: 6 AA/C-Cell Batteries or 220V, 60 Hz	30,000.00	60,000.00		
15	1	Unit	Refrigerator , 7.5 cu ft ~ 7.9 cu ft Gross Dimension (WxHxD) - 20.5" ~ 24.6 x 47.8" ~ 58.4" x 21.4" ~ 22" inches Capacity, Total Shelf Area: 191 ~ 219 liters Single or Double Door, Inverter, Manual Defrost 220V, 60Hz	13,500.00	13,500.00		
16	2	Unit	CPAP Machine , Input Flow Range: 0 to 15 L/min. CPAP Pressure range: 0 to 20cmH2O. Power Source: AC 220V, 60Hz. Stand type: Mounted in Adjustable IV Pole. With 4 castors with brakes. Please see attached specifications	50,000.00	100,000.00		
17	44	Unit	Nebulizer Machine , Lightweight, portable and compact. Dimensions: 175-256.5mm(W) x110-266.7mm(H) x165.1-215- (D)mm, manual on and off switch, flow rate of 7+lpn - 9 +lpn. Please see attached specifications	10,000.00	440,000.00		
18	1	Unit	Mechanical Scale , Type: Dial; Capacity: 150 Kg; Black Iron; Built in wheels; Ergonomic eye level scale; platform guard; 1 year warranty; with Certificate of Calibration and Traceability	20,000.00	20,000.00		
19	1	Unit	Test Weight , Rectangular shape: 1 kg, 5 kg, 10 kg, 20 kg, 25 kg, 50 kg, 100 kg, 150 kg.; mild steel, painted; additional: 5 kg, 10 kg, 25 kg.; with Certificate of Calibration and Traceability	100,000.00	100,000.00		
20	1	Unit	Tachometer , Contact & non-contact Measurement; Accuracy: +/- 0.025 to 0.05; Display: LCD; Battery Operated: 9 V, Alkaline, Heavy Duty; up to 16 units of measure; Low Battery indicator. See attached document for detailed specifications	50,000.00	50,000.00		
21	1	Unit	Light Meter , Accuracy +/- 3%; Display: 1999-2000 count LCD; FC/Lux unit selection; Auto range nad auto power off; data hold; Standards: EN61010-1; Battery operated, 9V, alkaline; user manual; with case; 2 year warranty; with Certificate of Calibration and Traceability; End user Training with certificate	50,000.00	50,000.00		
22	1	Unit	Thermohygrometer , Temperature Range: Internal 32oF to 122oF (0oC to 50oC); External Probe: -58oF to 158oF (-50oC to 70oC) Humidity Range: Internal: 20 % to 90 %; Display: LCD; Sensor: Temperature: Thermistor; Humidity: electronic capacitance polymer film; Battery Operated: AAA , Alkaline, Heavy Duty; with carrying case; 2 year Warranty; with Certificate of Calibration & Traceability; End User Training with certificate; ISO 17025 compliant	25,000.00	25,000.00		
23	2	Unit	Circuit Breaker Tester , Operating Voltage Range: 110-230 Volts. Hertz: 50/60 Hertz. Dimension: 6.1 x 5.5 x 1.5" - 9.6 x 6.6 x 2". Weight: 6 oz - 14.4 oz. Temperature range: 0 degrees Celsius - 40 degrees Celsius. Battery: 9 Volts. Display: LED. Warranty: 2 years	10,000.00	20,000.00		

24	2	Unit	Megger Tester , Insulation resistance range: 0.01 MΩ - 100 GΩ. Continuity: 0.01 MΩ - 200 MΩ. Test Voltage: 500 Volts – 5000 Volts. Short Circuit. Current: 2 mA – 3 mA. Operating Temperature: -22 degrees Celsius – 55 degrees Celsius. Size: 4.56 x 1.78 x .89 cm - 5 x 10 x 20.3 cm. Weight: 1.2 lb - 3.86 lb. Battery: 9 Volts. Warranty: 2 years	10,000.00	20,000.00		
25	1	Unit	Thermometer with Thermocouple (J or K) , Temperature accuracy, above: 1000 deg. C: J and K type: $+(0.05\%+0.3\text{ }^{\circ}\text{C})$, below: -100 deg. C: J and K type: $+(0.05\%+0.3\text{ }^{\circ}\text{C})$, Temperature: J-type: -210 oC to 1200 oC, K-type: -200 oC to 1372 oC. See attached document for detailed specifications	50,000.00	50,000.00		
			<i>3 sets</i>				
			REQUIREMENTS: IN THREE (3) SEPARATE SEALED ENVELOP	TOTAL:	2,403,500.00		
			1. Price Quotation				
			2. PHILGEPS Certificate (CERTIFIED TRUE COPY with NAME and SIGNATURE)				
			3. Mayors Permit (CERTIFIED TRUE COPY with NAME and SIGNATURE)				
			4. SEC/DTI Registration (CERTIFIED TRUE COPY with NAME and SIGNATURE)				
			5. Business/Income Tax Return (CERTIFIED TRUE COPY with NAME and SIGNATURE)				
			<i>2. ORIGINAL COPY WITH SIGNATURE - NO FORGEOVER</i>				
			SUBMISSION: JAN 10, 2020, 10am at Procurement Department				
			VAT Inclusive :				

Important:


- 1 This is an emergency purchase and all items/materials listed must be delivered within seven (7) working days after the receipt of the approved PURCHASE ORDER.
- 2 A winning dealer who fails to make delivery of the items being purchased within specified date, whether in whole or in part, SHALL BE CONSIDERED A DEFAULTING BIDDER and shall therefore be subjected to OPEN MARKET of the items/materials NOT DELIVERED and the DIFFERENCE IN PRICE to be charged against said defaulting bidder.
- 3 The Government reserves the right to reject any or all bids or quotations, without thereby incurring any liability, and make no assurance that a contract shall be entered into as a result of the canvass.

Name of Company: _____


Address: _____

Telephone #: _____

Authorized Representative: _____


DOMINICK M. DIAZ, MGM

Head, Procurement Department


ELIZABETH M. BALUYOT

Canvasser

Note: Kindly send us your quotation with Requirements in Sealed Envelop.

FM-HOPSS-PROC-003

Date Effective : September 9, 2019, Rev. 2