



**REQUEST FOR QUOTATION
ALTERNATIVE METHOD OF PROCUREMENT**

Sir/Madam:

DATE: _____

Please give your quotation at Government price on the following articles/materials urgently needed to be purchased.

NO.	ITEM	QTY	UNIT	BRAND	MODEL	INITIAL FINDINGS	ABC
1	ULTRASOUND MACHINE SN 16350748	1	unit	ESAOTE	MYLAB SIX	For Outside Preventive Maintenance and Calibration	108,900.00
2	CT - SCAN SN 7CB1722066	1	unit	TOSHIBA	TSX-035A	For Outside Preventive Maintenance and Calibration	450,000.00
	TOTAL	2					558,900.00
	REQUIREMENTS (4 SETS IN 4 ENVELOPE EACH):						
	1. PhilGeps Certificate (certified true copy)						
	2. Registration Certificate (SEC/DTI) (certified true copy)						
	3. MAYOR'S / BUSINESS PERMIT (certified true copy)						
	4. INCOME BUSINESS TAX RETURN (certified true copy)						
	5. OMNIBUS SWORN STATEMENT (NOTARIZED)						
	6. DATE OF SUBMISSION ON DEC. 28, 2020 at 10:00 am AT PROCUREMENT DEPT						
	NOTE: CTO INDICATING COMPANY NAME, NAME OF REPRESENTATIVE, DESIGNATION & SIGNATURE						
VAT Inclusive :							

Important:

- 1 This is an emergency purchase and all items/materials listed must be delivered within seven (7) working days after the receipt of the approved PURCHASE ORDER.
- 2 A winning dealer who fails to make delivery of the items being purchased within specified date, whether in whole or in part, **SHALL BE CONSIDERED A DEFAULTING BIDDER** and shall therefore be subjected to **OPEN MARKET** of the items/materials **NOT DELIVERED** and the **DIFFERENCE IN PRICE** to be charged against said defaulting bidder.
- 3 The Government reserves the right to reject any or all bids or quotations, without thereby incurring any liability, and make no assurance that a contract shall be entered into as a result of the canvass.

Name of Company: _____

Address: _____

Telephone #: _____

Authorized Representative: _____

Note: Kindly Fax the Quotation at :

FM-HOPSS-PROC-003

Date Effective : September 9, 2019. Rev. 2


DOMINICK M. DIAZ, MGM

Head, Procurement Department


FREDERICK M. VILLAL

Canvasser